




RECORD



A. B. Johnson
Highland Park
Cal.

March 1st / 896.





Digitized by the Internet Archive
in 2017 with funding from
CLIR

1896

Leconte's Thrasher ♂ Mar. 6th
 White Water Cal.

Cinnamon teal ♂♂♂♀ Mar 4th
 El Casico Cal. L.P. R.R.

Sage Thrasher ♂ Mar 6th
 White Water Cal.

White Thrt. Swift ♂ Mar 7th
 Palm Springs Cal

Leconte's Thrasher ♂♂♂♀♀ Mar 8th
 Palm Springs Cal.

Grassl Thrasher ♀ Mar 9th
Indio.

Lincoln's Finch Mar 6th
 White Water Cal.

Yellow Wing Sparrow ♂ Mar 5th
 Beaumont Cal.

1896.

Leconte's Thrasher ♂♂ ♀♀♀ Mar. 12-96
 Flaming Wells - Cal.

Gambel's Quail ♂♂♂ ♀ Mar. 13
 Mammoth Tank Cal.

Leconte's Thrasher ♂ Mar. 16-96
 Ogilby Cal.

Abernethy's Thrasher ♂♀ M. A.
 Vermillion City Ariz

Vermillion Flycatcher ♀ - 18
 Gila City Ariz.

Ferruginous Pygmy Owl ♀ 2
 Almost ready to lay
 Gila River Bed. 60 miles
 West of Phoenix - Arizona

Leconte's Thrasher ♀ Mar. 27
 Phoenix Ariz

Palmer Thrasher ♀ Mar 27
Phoenix Ariz

Large Bunting ♀ Mar 27
Phoenix Ariz

Whippoorwill ♂ March 26
Phoenix Arizona

Gambels Quail ♂ Mar 26
Phoenix Ariz-

Inca Dove ♂ ♀ ♀ Mar 28
Phoenix Ariz
Abundant

Aberts Towhee ♀ Mar 29
Phoenix Ariz-

Wilson's Snipe ♀ Mar 24
Phoenix

Inca Dove ♂ Mar 29
Phoenix

Bendires Thrasher ♂ April 2nd
 Tempe Arizona.
 Bird sitting on eggs-

Lark Bunting ♂ April 3rd
 20 miles south of Tempe. large
 flocks around. Arizona

Albino Red Wing Blk Bird ♀ Apr. 3rd
 Bird in a large flock of
 Black Birds just north of
 Phoenix about a mile - Arizona

Green Tail Towhee ♀ April 3rd
 taken in a large patch of
 brush south of Tempe Ariz.

Palmer's Thrasher ♂ April 3rd
 Bird sitting and flushed
 from the nest. south of Tempe
 about 20 miles Arizona.

Gambel's Quail ♀ Apr. 6th -96
 Red Rock A.T. - bird flushed
 from a set of eggs nest in an
 old Thrasher's nest in Candle
 cactus.

Green Tail Towhee ♂ Apr. 7th -96
 Tucson A.T.

Indigo Thrasher ♂ Apr. 7th -96
 Bird flushed from a set
 of three eggs - Tucson - A.T.

Screech Owl ♀ Apr. 11
 Fort Lowell A.T. Bird sitting

Elf Owl ♂♂ Apr. 12 -96
 Fort Lowell A.T.

Vermillion Flycatcher ♂♂ Apr. 12
 Fort Lowell A.T. Birds sitting

Bridled Tit ♂ Apr 14-96
Catilena Mts A.T.

Cardinal ♀ Apr. 10-96
Fort Lowell A.T.

McGillivray Warbler ♂ April
Fort Lowell A.T.

Canyon Towhee ♂ Apr. 12
Fort Lowell A.T.

Male sitting on nest.

Arizona Jay ♂ Apr 14-96
Catilena Mts - A.T.

Pygmy Owl ♂ Apr 13-96
Catilena Mts A.T.

Broad Billed Hum. ♂ Apr 14-
Catilena Mts A.T.

Bendires Thrasher ♀ Apr 17-
Arqua Caliente A.T.

Black Tht Sparrow ♀♀ apr 19-
 Benson A.T.
 S.C.

Scotts Oriole ♂ apr 18-22
 Benson A.T.

Coll Owl ♂ apr 18-96
 Benson A.T.

Gila Wood Pecker ♀ apr 17-
 Yankee Verde A.T.

Black Tht Sparrow ♂ ♀ apr 22-
 Tombstone A.T.

Scaled Quail ♂ ♀ apr 20
 Tombstone A.T.

Blk Tht. Sparrow ♀♀♂♂ apr ²²₂₃
 Tombstone A.T.

Thruht Flycatcher ♀ apr 22
 Tombstone A.T.

8 Sent list to - hankins to apr 23

Pileolated Warbler ♂ apr 23
Pombstone A.R.

Scaled Quail ♂ apr 24 - 86
Hua Churca -

Shore Lark - ♂ apr 24

Painted Red Throat ♂ apr 26
Birds in pairs and about
ready to lay.

Thorned Warbler ♂ apr 26

West - Warbler ♂ apr 26

Blk Thr Song ♂ apr 26
Not ready to breed

Thyridothraupis ♀ apr 26

Siskin ♀ ♂ apr 26
Overly small

$$\frac{7}{2} \quad 7$$

$$\frac{8}{4} \quad 5$$

$$\frac{9}{3} \quad 6$$

$$\frac{4}{2} \quad 7$$

$$\frac{5}{3} \quad 8$$

Plain Peep 1/2 ♂ Mar 22
Nest collected - a
Placed in Mesquite tree
Height about 18 feet.
Male Bird on nest -

Inca Dove 1/2 ♂ Mar 25
Nest collected - ♂
Placed in Cotton Wood tree
Height about 50 feet
Bird on nest. Phoenix

Leconte's Thrasher 1/2 ♂ Mar 27
Nest collected - a
Placed in green Thorn
bush. Phoenix
Bird on nest - Bird shot

American Crow 3/4 ♂ - Mar 27
Nest collected - ♂
Placed in brush by the
side of road - Phoenix

Abert's Towhee $\frac{1}{3}$ ♂ Mar 29
Nest collected
Placed in bush by the side
of road - Phoenix

Road Runner $\frac{1}{4}$ ♂ Mar 29
Nest made of sticks and
lined with feathers and
rabbit hair.
Placed in large bush
Phoenix - Ariz

Abert's Towhee $\frac{3}{2}$ ♂ Mar 31
Nest collected
Placed in bush beside
road - Phoenix Ariz

Yucca Dove $\frac{3}{2}$ ♂ Mar 30
Nest collected
Placed in Pepper tree
in lower height. 12 feet
Phoenix Ariz

Tree above $\frac{3}{2}$ Mar 31
Nest collected ♀
Placed in large pepper
tree near center of town
Height 10 feet - Phoenix

about 9th Mar $\frac{4}{3}$ April 1st
Nest collected F
Placed in small bush.

about 10th Mar $\frac{5}{3}$ April 1st
Nest collected S
Placed in bush beside
the road - Phoenix

about 11th Mar $\frac{6}{3}$ April 1st
Nest collected U
Placed in bush beside
the road - Phoenix

about 12th Mar $\frac{7}{2}$ April 1st
Nest collected S
Placed in bush beside
the road - Phoenix

Black Throated $\frac{1}{4}$ April 1st 96
Nest collected
placed in thorny bush
beside the road Phoenix -

any date March 1888 (82)
Lays Phoebe $\frac{1}{3}$ April 2nd 96
Nest collected $\frac{1}{3}$ F
Placed on a rock in the side
of an old rock tunnel -
Tempe Arizona Bird on nest

Bandline Thrasher $\frac{1}{3}$ April 2nd
Nest collected $\frac{1}{3}$ S
Placed in a green thorn tree
height from ground 4 feet
bird shot. Tempe Arizona

Leconte Thrasher $\frac{1}{3}$ April 4th
Nest collected $\frac{1}{3}$ S
Placed in a candle cactus
height about 5 feet -
Bird shot - Glendale Ariz -

Red Tail Hawk $\frac{1}{4}$ April 5th
Nest composed of large a
sticks and grass and
placed in Giant Cactus -
height about 12 feet -
Red Rock Arizona

Plumbeous Gnatcatcher $\frac{1}{4}$
April 6th
Nest collected -
placed in small thorn
bush - Red Rock Arizona

Bendires Thrasher $\frac{2}{3}$ April 7th
Nest collected
Placed in thorn bush in a
large patch of brush -
Pecos Ariz

Bendires Thrasher $\frac{2}{3}$ April 7th
Nest collected
Placed in Gopher Cactus
height 4 feet -
Bird flushed -
Pecos Ariz

Bendires Thrasher $\frac{4}{3}$ April 7th
Nest collected
Placed in cactus
height about 3 feet -
Bird seen -
Tucson Ariz.

Palmer's Thrasher $\frac{1}{3}$ Apr 7th
Nest in cactus height
about 5 feet
Nest collected -
bird flushed - Tucson A.T.

Bendires Thrasher $\frac{5}{3}$ Apr 7th
Nest collected
Placed in Mesquite
tree - height about 7 feet.
Bird flushed - Tucson A.T.

Bendires Thrasher $\frac{1}{3}$ Apr 7th
Nest collected -
Placed in Mesquite tree
by side of the road -
height about 10 feet.
Bird flushed -
Tucson A.T.

Palmer's Thrasher $\frac{3}{3}$ Apr 10

Nest collected

Placed in cactus height
about 4 feet - nest well surrounded
by cactus - Gueson A.T.

Palmer's Thrasher $\frac{3}{4}$ Apr 10

Nest collected

Placed in cactus - height
about 3 feet - Bird flushed
Gueson A.T.

Palmer's Thrasher $\frac{4}{2}$ Apr 10

Nest collected

Placed in large candle
cactus - height 5 feet -
Fort Lowell A.T.

Bendires Thrasher $\frac{7}{3}$ Apr 10

Nest collected

Nest placed in candle
cactus - height about 5 ft -
Fort Lowell A.T.

Palmer Thrasher $\frac{5}{3}$ ♂ Apr 11-96
Nest collected
Placed in candle cactus
height about 4 feet.
Bird flushed - Fort Lowell A.T.

Phainopepla $\frac{3}{2}$ ♀ Apr 11-96
Nest collected
Placed in Mesquite tree
height about 10 feet -
Fort Lowell A.T.

Vermilion Flycatcher $\frac{1}{3}$ ♂ Apr 11
Nest collected
Placed in fork of small limb
of sycamore tree -
height about 15 feet -
bird on nest - Fort Lowell A.T.

Vermilion Flycatcher $\frac{2}{3}$ ♂ Apr 11
Nest collected
Placed in fork of sycamore
limb - height about 12 feet
Fort Lowell A.T.

Canyon Towhee $\frac{1}{3}$ Apr 12
Nest collected
Placed in Elder tree
height about 10 feet -
bird flushed & shot -
Fort Lowell A.T.

.01 Screech Owl $\frac{1}{3}$ Apr 12
Nest in an
old wood pecker hole in
an old cotton stump bird
taken from the nest -
Fort Lowell A.T.

Permian Flycatcher $\frac{3}{3}$ Apr 12
Nest collected
Nest placed in fork of a
limb of a willow branch
height 10 feet -
Fort Lowell A.T.

* West Red Tail Hawk $\frac{2}{2}$ Apr 12
Nest composed of large
sticks - placed about 50 ft
up in a cotton wood tree.
Fort Lowell A.T.

Redstart Thrasher $\frac{1}{3}$ Apr 12
Nest collected
placed in a willow tree
height about 10 feet.
Bird flushed - Fort Lowell ^{AT}

Broad billed Hummer $\frac{1}{2}$ ⁰² Apr 13
Nest collected -
placed in Sycamore tree
in bed of canyon. height
about 7 feet.
Catalina Mts - A.T.

Broad Billed Hummer $\frac{1}{2}$ ^{Apr 14 02}
nest collected
Placed in small bush
near stream in large
canyon - bird on nest.
Catalina mts - A.T.

Arizona Jay $\frac{1}{4}$ Apr 14 - 76
Nest collected
Placed in small live Oak
tree - height about 10 feet.
in side of mts.

Altitude about 7000 feet
Catilena Mts -

Arizona Jay $\frac{2}{3}$ April 14-
Nest collected
Placed in small live Oak
tree - height about 10 feet
Altitude about 7000 feet.
Catilena Mts A.G.

Broad billed Hummer $\frac{2}{3}$ Apr 13-
Nest collected
Placed in live Oak tree
height about 9 feet -
Fort Lowell A.G.

Bendires Thrasher $\frac{2}{3}$ Apr - 16
Nest collected
Placed in bush beside the
road - bird flushed -
height 4 feet -
Fort Lowell A.G.

Black Chin Hammer $\frac{1}{2}$ Apr 16
nest collected $\frac{1}{2}$

Bird shot.

Placed on sycamore limb
height 10 feet!

Fort Lowell A.T.

Black Chin Hammer $\frac{3}{2}$ April
nest collected $\frac{3}{2}$

Bird shot.

Placed in sycamore tree
height about 8 feet -

Fort Lowell A.T.

Verdin $\frac{1}{3}$ Apr 16 - 96

Nest composed $\frac{1}{3}$

of small thorn twigs and
grass and lined with feathers

Placed in small thorn
bush. Bird caught on nest.

Fort Lowell A.T.

Verdin $\frac{2}{3}$ Apr 17 - 96 $\frac{2}{3}$

nest composed of thorn
twigs and grass and placed
in thorn bush - Fort Lowell

Cayser

Bendires Thrasher $\frac{1}{3}$ Apr 16
Nest collected
Nest placed in candle
cactus and about 5 feet high.
Bird flushed.
Agua Caliente

Bendires Thrasher $\frac{1}{3}$ Apr 16
Nest composed of
thorn twigs and grass and
lined with green grass and
horse hair. Bird flushed.
Agua Caliente A.P.

Bendires Thrasher $\frac{1}{4}$ Apr 17
Nest composed
of mesquite twigs and
lined with grass - in mesquite
Agua Caliente. A.P.

Bendires Thrasher $\frac{1}{3}$ Apr 17
Nest collected
placed in mesquite tree
about 8 feet.
Agua Caliente A.P.

Bendires Thrasher $\frac{13}{3}$ apr 17
Nest collected
Placed in Mesquite tree
height about 10 feet -
Fort Benson A.T.

Bendires Thrasher $\frac{14}{3}$ apr 17
Nest collected
Placed in Yucca height
from ground 7 feet -
Fort Benson A.T.

Empidonax $\frac{2}{3}$ apr 17
Nest collected
Placed in Mesquite tree
height 7 feet -
Bird flushed -
Fort Benson A.T.

Bendires Thrasher $\frac{15}{3}$ apr 17
Nest collected
Placed in Mesquite tree
height 7 feet - Bird flushed
Fort Benson A.T.

Bendire's Thrasher $\frac{1}{3}$ Apr 17
Nest composed of 3
mesquite twigs and grass
lined with green grass
Bird flushed -
Placed in Mesquite tree
height from ground 10 feet.
Fort Benson A.T.

Bairds Woodpecker $\frac{1}{2}$ Apr 25
Nest made in hole in 7
dead top of Yucca - bottom of
hole covered with fine bits of pine
height about 12 feet.
Fort Huachuca A.T.

Painted Red Start $\frac{1}{4}$ Apr - 30 - 98
Nest collected 7
Nest placed under a bunch
of grass on side hill a bank -
Nest in shade of small live
Oak tree - bird shot.
Huachuca Mts.

Arizona Jay $\frac{3}{4}$ Apr. 30-96
Nest collected a
Placed in small live Oak
tree - height from ground
about 12 feet
Huachuca Mts.

Hummer .04 Apr 30/96
Nest collected 7
Bird shot -
Placed in sycamore tree
in bed of canyon -
height from ground about 8 ft -

Cissal Thrasher $\frac{1}{2}$ May 2nd
Bird seen a
Nest collected -
Placed in small thorn bush
on side hill -

Arizona Jay $\frac{1}{4}$ - May 5th 96 -
Nest collected 7
Placed in small live
Oak tree in bottom of
canyon

Mexican Creeper $\frac{1}{5}$ May 5-96
Nest collected
Placed behind the tree back
of dead Pine tree -
Height about 15 feet -
Altitude 9000 -

Red Backed Junco $\frac{1}{3}$ May 6-96
Nest collected
Placed under a bunch grass
on side of Canyon
Altitude 9000 -

Arizona Junco $\frac{1}{5}$ May 8-96
Nest collected
Placed in a live oak tree
Height - about 15 feet -
Tree on side of Canyon

Lead Colored Quail $\frac{1}{10}$ May 11-96
Nest collected - $\frac{1}{6}$
Placed in small
scrub Oak tree -
Height - 8 feet - Bird flushed
tree on side hill -
Altitude 9000

Lucys. Warbler $\frac{1}{4}$ May 17-96
Nest collected $\frac{1}{4}$
Bird flushed from nest.
Nest placed under a bunch of
grass on side of bank - in
small Canyon -
Altitude 7000 feet.

Arizona Jay $\frac{1}{4}$ May 19-96
Nest collected - $\frac{1}{4}$
Placed in live Oak tree -
Height 20 feet
Nest on side hill of Canyon

Painted Red Start $\frac{2}{3}$ May 21-96
Nest collected $\frac{1}{4}$
Placed under a bunch of
grass on side of little dirt bank
in bottom of Canyon

Painted Red Start $\frac{2}{4}$ May 22-96
Nest collected $\frac{1}{4}$
Placed on side of hill under
a small bunch of weeds.
Nest about 6 feet from trail

in Laffey Canyon -
Bird flushed -

Vermillion Flycatcher May 24 - 96
Nest collected $\frac{7}{7}$
Placed in live Oak tree in the
bottom of Tanner's Canyon
Height 15 feet -

Painted Red Start May 25 - 96 $\frac{4}{3}$
Nest collected $\frac{7}{7}$
Placed under a bunch of grass
on side hill -
Nest about 10 feet from bottom
of Canyon -

Mexican B. Creeper $\frac{1}{4}$ $\frac{8}{7}$ May 25 - 96
Nest collected $\frac{7}{7}$
Placed in slit in a pine
tree - height about 15 feet -
Birds collected

Wren $\frac{1}{4}$ $\frac{8}{7}$ May 25 - 96
Nest collected - $\frac{7}{7}$
Placed in hole in limb of
Oak tree - height 15 feet.

Revolv. Hummer $\frac{1}{2}$ May 26-96

♀

Nest collected -

Placed on a branch of
maple tree nest about 16 feet
from stem of tree and 20 feet
from ground -

Nest in bottom of Canyon close
to running stream -

Nest hung over trail - Bird shot

Red Faced Warbler $\frac{1}{4}$ May 26-96

♀

Nest collected

Placed on side hill under
a bunch of grass. Close to a
pile of broken Pine Branches
Nest about 40 feet from
bottom of Canyon - Bird
flushed when I was within
two feet of nest -

Horned Lark $\frac{1}{2}$ May 27.

♂

Nest collected -

Placed in a small scratched
out hole in the open field -
not concealed -

291

Bird flushed -

Horned Lark May 27

Nest collected - 3 1/2

Placed under a small,
piece of Cat Claw bush in
the field - nest placed in
small cavity which was
scratched out by the bird.

Scotts Oriole $\frac{1}{3}$ May 28 - 96

Nest collected - 1 1/2

Suspended from the down-
growing spines of a yucca
plant which was on the
slope of a canyon.

Altitude 6000

Nest about 4 feet from ground
Bird flushed -

Red Faced Warbler $\frac{2}{4}$ May 29 - 96

Nest collected - 1 1/2

Placed under some grass
and leaves - among some rocks
on side hill - Nest about
20 feet from bottom of canyon
Bird flushed

Virginia Warbler $\frac{2}{4}$ June 1st 96
Nest collected - a

Placed under a clump of
dead twigs and leaves.

Bird flushed and shot.
Nest over small cliff on side
hill - Altitude 9000

Red Back Junco $\frac{2}{4}$ June 1st 96
Nest collected S

Placed under a flat stone
on side hill -
Altitude about 8000.

Red Back Junco $\frac{2}{4}$ June 2nd 96
Nest collected F

Placed under a piece of
dried grass on side hill
Bird flushed - Altitude 9000

Parkman's Wren $\frac{1}{4}$ June 2nd 96
Nest collected F

Placed in a small cavity
in a pine tree -
Nest about 6 feet from ground.

White N. Haven $\frac{1}{2}$ May 27-96

One egg Broken

7

Nest made of large sticks
and lined with bird hair
pieces of funny sack cloth
and paper.

Placed in sycamore tree
height about 25 feet.
Fort Huachuca

Swainson's Flycatcher $\frac{1}{3}$ June 4th 96

Nest collected

7

Placed in small oak tree
height about 12 feet.

Canyon Towhee $\frac{1}{3}$ June 4th 96

Nest collected

7

Both birds shot.

Placed in oak hanging
branches of sycamore tree
height 7 feet.

White N. Raven $\frac{1}{4}$ June 4th 96

Nest made of large sticks
and lined with hair

Placed in large Sycamore
tree height 30 feet -

White N. Raven $\frac{3}{4}$ June 4th
Nest composed of A
of large sticks lined with
hair & rags -

Placed about 20 feet up in
a large Sycamore tree -

White N. Raven $\frac{4}{5}$ June 4th
Nest composed of S
of sticks and grass and
placed about 30 feet up
in Sycamore tree
lined with hair -

White Neck Raven $\frac{5}{5}$ June 1st 96
Nest composed of F
sticks and lined with hair grass
bits of paper and sack -
Nest in large Sycamore tree
height 35 feet

White Neck Raven $\frac{6}{5}$ June 6/96
Nest composed of $\frac{1}{2}$ &
large sticks and branches
and lined with hair - pieces of
rope and a little grass -
placed in Sycamore tree
height 20 feet -

White Neck Raven $\frac{7}{3}$ - June 6 - 96
Nest composed of $\frac{1}{2}$ &
sticks and placed in fork
of large Sycamore tree -
lined with hair -
height 40 feet - Nest rebuilt
from yr. before

White Neck Raven $\frac{7}{4}$ June 6 - 96
Nest composed of $\frac{1}{2}$ &
sticks - lined with hair pieces
of rope and grass - placed in
large Sycamore tree -
height about 40 feet -

Spurred Towhee $\frac{1}{3}$ June 7-96
Nest collected F
Placed on ground under
some dead sticks -
In bottom of Canyon - Graft

White Th. Swift ^{W.H.} June 10th 96
Nest placed in a small F
cave in a cliff -

The cliff was 75 feet high and
overhanging about 12 feet -
The nest was about 15 feet from
the top - It was reached by taking
the lower end of the rope into
a crack and that pulled the
rope against the rock - the
rope was fastened out side of
the rock - no ladder in the
nest -

Rivoli Hummer $\frac{2}{2}$ June 10th
Nest collected - Bird F
Placed in large maple
tree - 100 feet high
Nest on small limb about
100 feet from main stalk

Curve Flycatcher $\frac{1}{3}$ June 10-
Nest C. Bird shot. F
Placed in Oak tree - on
extremity of limb. height
about 10 feet.
Tree in bottom of canyon close
to water.

Hummer E. 06 June 10
Nest C. Bird shot F
Placed on small branch
of maple tree - about 10 feet
from main trunk -
height 12 feet.

Blk. Phoebe $\frac{1}{4}$ June 11-20
Nest composed of F
mud & lined with grass.
Placed on the under side of
an overhanging cliff

Long Crested Jay $\frac{1}{2}$ June 11-
Nest composed of A
& pine needles & sticks
and mud - lined with
grass - Placed on Pine 50 ft -

Hepatic Tanager $\frac{1}{2}$ June 11
Nest collected
Placed in top branches of
Maple tree in bottom of
Ochre - height 60 feet.
Bird seen.

Cal. Wood Pecker $\frac{1}{5}$ June 13
Nest in dead limb of
Sycamore tree - height
from ground 20 feet.
Bird on nest.

White Neck Raven $\frac{10}{6}$ June 14-16
Nest placed in small A
mesquite tree - height
1 foot - lined with hair -
Nest made of large sticks

White Neck Raven $\frac{3}{4}$ June 14
Nest Placed in Sycamore A
tree - height 20 feet - lined
with hair & grass -
made of large sticks and
placed in fork of large limb.

White Neck Raven $1\frac{1}{2}$ June 14
Nest placed in small a
Oak tree height 10 feet.
Made of large sticks and
lined with grass bark and
hair -

White Neck Raven $1\frac{1}{2}$ June 14
Nest placed in
small tree in wash
composed of sticks and
lined with hair & bark -
height 8 feet -

White Neck Raven $1\frac{3}{8}$ June 14
Placed in Oak. A
tree height 15 feet -
lined hair & grass -
made of sticks placed in
fork of tree -

White Neck Raven $1\frac{1}{2}$ June 15
Nest placed in
fork of tree in limb
height 25 feet -
lined with hair & bark -

White Oak Raven $1\frac{5}{8}$ June 10
Nest placed in
sycamore tree - height
20 feet - made of large
sticks - and lined with
hair & grass -

White Wing Dove $1\frac{5}{8}$ June 15-96
Nest collected
Placed about 3 feet up in
a magnolia tree -
Bird flushed -

Ch. Thr. Sparrow $1\frac{5}{8}$ June 14
Nest collected
Bird flushed
Placed in small thorn
bush beside road -
High about 3 feet - nest
not concealed in the bush -

Cassin's King Bird $1\frac{5}{8}$ June 2
Nest collected
Birds shot -
Placed in sycamore tree
height 30 feet -

Revoli Hummer $\frac{1}{2}$ S June 24-96
Nest Collected. S
Placed in maple tree -
Nest on small branch near
top of tree - about 6 feet from
main stem. Height 50 feet
tree in bottom of canyon near
stream.

Broad Tail Hummer $\frac{1}{2}$ July 5th
Nest Collected. A
Placed on pine branch -
Height 30 feet - tree in
bottom of canyon altitude 9000
Bird Collected -

Long Tail Chat $\frac{1}{4}$ July 8-96.
Nest Collected. F
Placed in small clump
of brush - near stream
Height 3 feet - bird flushed

Revolv Hummer $\frac{3}{2}$ July 9-96
Nest collected
Placed on maple branch
height about 40 feet -
nest near stream in bottom
of canyon - bird shot -
Nest 10 feet from main stalk

Cowbird Flycatcher $\frac{2}{3}$ July 15-96
Nest Collected
Placed in tall pine - Height
about 50 feet -
Nest about 5 feet from main
trunk - alt. trunk 95-100 ft.

Sulphur Bellied Flyc $\frac{1}{3}$ July 17-
Nest Collected
Placed in hole in dead limb
of aspen tree
Nest about 40 feet from ground -
Tree in bottom of canyon near
small stream - Bird shot.

April 18- 1897-

(100)

Heermans Tong Sparrow ¹⁴⁷
Nest Collected

Placed on a small branch
of an oak tree close to the
ground-

Highland Park Cal. ^{E. B. J.}

April 18- 1897.

Cal. Bush Tit - 1/6 a
Nest Collected-

Placed in live Oak tree
height about 15 feet -

Highland Park Cal.

April 19- 1897-

Anthony's Towhee ¹⁴⁸ 591

Placed in a live oak tree
about 5 feet from ground.

Nest Collected

Highland Park. Cal.

April 24 - 1897 7

Wm. - Gold finch $\frac{1}{2}$

Nest collected -

Placed in small elder tree

Height about 4 feet -

Cervotis Cal - W.B. Hudson

April 25 - 1897

Blackman & Wren $\frac{1}{8}$ - 3 A

Nest collected -

Placed on beam under porch of a house -

Los Angeles Cal - W.B. Hudson

April 25 - 1897

Black Chin Hum $\frac{1}{2}$ 7

Nest collected -

Placed on dead limb of small

oak tree in bottom of canyon

Height - 3 feet -

Los Angeles Cal.

April 30-, 1897
Black Chin. Hum. $\frac{1}{2}$ ♂
Nest Collected
Placed in a Sycamore
tree - Height 24 feet.
Highland Park Cal.

May 2nd 1897
Black Chin. Hum. $\frac{3}{2}$ ♀
Nest Collected
Placed in a willow tree
in large patch of willows
at Christ's Cal.
Height of nest 7 feet -

May 6th 1897
Cosh - Hummer $\frac{1}{2}$ ♀
Nest Collected
Placed on Oak limb
height 6 feet - in
small canyon -
Highland Park Cal.

May 9th 1897

Black Head Grosbeak $\frac{1}{3}$ S

Nest Collected -

Placed in live Oak tree - 18 feet.

Tree in bottom of canyon

Highland Park Cal.

May 9th 1897

Black Chin. $\frac{1}{2}$ F

Placed in live Oak - 5 feet

Tree in bottom canyon

Highland Park Cal.

May 8th 1897

Tri Colored Blk Bird $\frac{3}{4}$ ♂

Nest attached to nettles -
about two feet from the
ground.

Composed of course grass
and leaves with a little mud
at the base of the nest - lined
with fine grass -

Taken from a large colony
in Willow Patch at Curd's
Cal - By - G. F. Morcom.

Tri Colored Blk Bird

$\frac{3}{4}$ ♂

(200)

Nest placed in nettles
about five feet from ground

Tri Colored Blk Bird

$\frac{9}{4}$ ♂ (61)

Nest in willow tree - 7 feet

Tri Colored Blk Bird

$\frac{13}{4}$ ♂

Fastened to willow and
Black berry bush - five feet

(41)

May 15 - 1897

Hummer

Nest Collected -

Placed in a small bush in a
gulch - Bird Shot.
Highland Park Cal.

May 19 - 1897

Mourning Dove $\frac{1}{2}$ F

Nest Collected -

Placed in a sycamore tree
in small canyon -
Height 30 feet -
Highland Park Cal.

May 16 - 1897

Ash Throat $\frac{1}{5}$ F.

West Fork of San Gabriel -
Nest in wood pecker's hole in
Willow tree in bottom of
canyon - Height 10 feet -
Caught Bird on nest -

May 19 - 1897.

③ Cassin's Vireo $\frac{1}{3}$ ♂.
West Fork Van Sabrie River
Nest within a few feet of
trail - placed in live oak
tree - Height 5 feet -

Black Mt Gray Warbler $\frac{1}{4}$ ♂
May 21 1897
Wilson's Oak.

Nest placed in bunch of
mistle to in oak tree -
Height 20 feet -
Nest 50 feet from trail - here
on side of canyon -

Blk Mt Gray - Warbler $\frac{1}{3}$ ♂.
May 22 - 1897.
Placed in small scrub oak
tree - Height 8 feet -
Mt Wilson Oak -

May 22 - 1897
Red-shafted Flicker $\frac{1}{6}$ S.
Holes in hole in dead oak
Depth of nest 15 in -
Mt. Wilson -
Height 15 feet -

May 22 - 1897
Blue Fronted Jay $\frac{1}{3}$ A

Mt. Wilson Cal.
Nest composed of sticks
mosses mud strings ragwort
and lined with cotton and
fine mosses.
Height 30 feet - in pine
nest over trail - within
50 feet of cabins -

May 23 - 1897
Bangtail Pigeon $\frac{1}{4}$ A
Mt. Wilson
Nest in live Oak tree 50
feet from trail - height 20 ft
Nest not concealed
to birds 5000

1075

Audubons Gnatcatcher

May 27-97-

Wilson's Peak -

Nest 1000 -

⑤ *Thurber's Junco* 2 ♂

May 29-97-

Wilson's Peak Cal -

Nest under some feathers
and branches - on side tree.
Nest completely concealed.

⑥ *Thurber's Junco* 2 ♂

May 31- 1897

Mt Wilson

Nest in bottom of bush
under dead branch and grass.
Nest 18 in from where bird
went under branch -

Red Shal. Flicker 1 ♂ 1 ♀

May 31- 1897

Wilson's Peak -

Nest in maple tree - 20 ft -

Chick 30 in in depth - 1897

27. M.
June 8th 1897 - Wilson P.H.
Nest 10 feet up in pine -
Hidden $\frac{1}{3}$ A

Black-thr. Grass Warbler
June 11th 1897 Mt Wilson
In pine tree. Height 40 feet
Nest in top of branch and
10 feet from trunk -
Completely concealed -

Amer. Coot $\frac{1}{5}$ $\frac{1}{11}$ A
June 3rd 1897 -
San Jacinto Lake
Nests composed of dead tules &
placed amongst thick tules -
Nests floating - eggs about 6 in
above water -
Nests about 50 feet from edge
of tules and $\frac{1}{4}$ mile from shore
Depth of water 3 ft.

Pied Bill Grebe $\frac{1}{2} \frac{2}{3} \frac{3}{6}$
Slight

June 3rd 1897 -

San Jacinto Lake

Nest floating and made of
dead rotten reeds and placed
between tile stalks.

Nest in middle of large bunch
of reeds.

Tri Colored Bk Bird $\frac{1}{4}$ -

San Jacinto Lake Cal.

Nest placed in thick
tules - 4 ft - about water

$\frac{1}{4}$ mile from shore -

Black Chin $\frac{1}{2}$ -

June 4th 1897 -

Florida Cal -

Nest in Sage bush beside
road - height 3 ft -

Cook June 8th

Ruddy Duck $\frac{1}{10}$ S
San Jacinto Lake Cal.
Nest composed of dead tule
stakes & floating - near edge
of tules -

Red head $\frac{1}{3}$ Ruddy $\frac{1}{6}$ = $\frac{1}{9}$ S
June 8th San Jacinto
Nest made of dead tules and
floating - placed in very
thick bunch of tules -

Red head $\frac{1}{9}$
June 8th 1897 -
San Jacinto Cal -
Nest collected -
placed in very thick clump
of tules -

White-F. G. Ibis
June 8th San Jacinto
Nests placed in thick
tules -

The nests were placed on
top of the tule stalks and
were about 4 feet above the
water -

Cared Grebe
San Jacinto June 8th

Nests placed in small
tules about a foot high
which surrounded the west
end of the lake and extended
out a quarter of a mile from
shore. Nests made of these
small tules and floating -
made in form of a 6 cornered
star - Nests on outer edge
of these tules - water 1 ft deep.

N.B. 6 sets out of 10 are cataloged - others are
not because they contain broken eggs -
Catalogs sets bear orig. marks as
follows: $\frac{2}{4}$, $4\frac{4}{6}$, $\frac{9}{4}$, $4\frac{22}{4}$, $4\frac{36}{4}$, $4\frac{44}{4}$, $\frac{53}{4}$

(212 - 218 mens. nos.)

M.W. 3/9/28

